

Albion's new range of PRESS VALVES











Due to the growing popularity of press fittings, Albion has launched its own range of press valves. Available in sizes from 15mm to 54mm, you can enjoy the usual quality and value for money you'd expect from Albion, plus all the benefits of press fit installation.

LESS INSTALLATION TIME

Installation couldn't be easier when you use Albion press valves. Designed for use with standard copper pipe, valves can be fitted without the need for solder or thread sealant. Simply press the valves into the system using standard 'M' profile jaws and that's it. No fuss, no mess and no leaks.

Estimates suggest that press fittings reduce installation time by up to 50%, saving you valuable time and money.

What's more, connections can be made on new and retro-fit installations, even when the system is 'wet'.



Typically saves
10 minutes per valve
installation

LESS POTENTIAL LEAK POINTS

Unlike most press valves, which need adapter fittings, Albion's press ends are an integral part of the valve's body.

This means it is more cost effective when compared to buying separate adapter fittings **AND** it removes two potential leak points from every valve. When you consider the number of valves used in a typical installation, this is a significant reduction in potential leak points overall.

With more and more projects specifying clean installation, we know that the demand for press fit valves and fittings will only increase.





LESS MATERIALS

With no need for additional adapter fittings, thread sealant or solder, Albion's Press valves use less materials and less effort. This makes them a cost effective choice and one that's good for the environment too.

LESS COSTS

Less parts, less materials and less installation time all mean one thing - less costs. But less costs doesn't mean less quality.

Remember, Albion's NEW press ball valves give you:


- · Integral press ends no need for adapters
- · Reduced leak points
- · Cost savings compared to using adapter fittings
- · Simple and quick to fit and install
- Cleaner installation

For further information on press valves and our growing range of products, call us today or visit www.albiondistribution.co.uk to find out more. We're certain you'll be impressed.





Produced in association with Cimberio, a leading manufacturer of quality valves, installed in over 54 countries globally...





ART 55 PRS

Max Pressure 24 Bar Working Temperature -10 °C to +120 °C

Features

- 'M' Press Ends
- Full Bore
- DZR Brass Body
- PTFE Seats
- EPDM 'O' Rings
- Pre Press Leak Detection

ART 25 PRS

Max pressure PN25
Working temperature -10 °C to +120 °C

Features

- 'M' Press Ends
- DZR Brass body
- · EPDM 'O' Rings
- Pre Press Leak Detection

ART 198 PRS

Max pressure PN20 Working temperature -10 °C to +140 °C

Features

- 'M' Press Ends
- Brass Body
- · EPDM 'O' Rings
- Stainless Steel Strainer Mesh
- Pre Press Leak Detection

ART 194 PRS

Max pressure PN16
Working temperature -10 °C to +140 °C

Features

- 'M' Press Ends
- Brass Body
- EPDM 'O' Rings
- Pre Press Leak Detection
- Metal Seat



Albion Distribution Limited, Fall Bank Industrial Estate, Dodworth, Barnsley, South Yorkshire, S75 3LS

Tel: 01226 729900 Fax: 01226 288011

Email: sales@albiondistribution.co.uk www.albiondistribution.co.uk